State of Wisconsin Department of Natural Resources Private Water Systems Section - DG/2 dnr.wi.gov

High Capacity, School or Wastewater Treatment Plant Well Approval Application JAN 2 1 2014

Form 3300-256 (R 7/05)

Page 1 of 6

Notice: Prior department approval is required for the construction, reconstruction or operation of a high capacity well or experim of high capacity wells, a school well or a wastewater treatment plant well in accordance with Section NR 812.09(4)(a), Wisconsin Administrative Code. Personally identifiable information collected on this form, including such data as your name, address and phone number, will be used for management of department programs and is unlikely to be used for other purposes. This information will be addressable under Wisconsin's Open Records Laws, ss. 19.32 - 19.39, Wis. Stats.

Use this form to request an approval for installation of a well or wells on a high capacity property, seek approval to make other changes to a high capacity property or to modify a well on a high capacity property, as required by NR 812.09(4)(a), Wisconsin Administrative Code. Refer to definitions of high capacity well, high capacity property and high capacity well system on page 5.

This form is not intended to be used when seeking approval for construction or modification of wells serving water systems regulated under ch. NR 811, Wis. Adm. Code. Any water system serving 7 or more homes, 10 or more mobile homes, 10 or more apartments, 10 or more condominiums, or 10 or more duplexes is regulated under ch. NR 811, Wis. Adm. Code. See NR 811.01, Wis. Adm. Code for applicability requirements.

more duplexes is regulated under on: Title 11, The Trains code.	criticity the read for applicability requirements.			
Applicant Information				
Application Prepared By (Name and Title)	Company			
JEFF HAUPT	HAUPT WELL DAILLING INC.			
Street Address	City State ZIP Code			
P.A. ROX 136	HUBURNDALE WI 544/2			
Telephone Number Fax Number	E-Mail Address			
715-652-2236 715-652-	8014			
Property Ownership Information	967			
Property owner, if different than applicant (Name of Person and Title)	Company			
LANACO LLC	CONTACT DERRY HETZEL			
Street Address	City A State ZIP Code			
WIOZGO ALP AUE.	ALMOND WI 54909			
Telephone Number Fax Number	E-Mail Address			
715-340-7254				
Well Operator Information				
Well operator if different than owner (Name of Person and Title)	Company			
OAKGROVE FARMS	CONTACT: JERRY HETZEL			
Street Address	City State ZIP Code			
WIOZGO ALP AVE	ALMOND WI 54909			
Telephone Number Fax Number	E-Mail Address			
715-340-7254				
Property Information				
	y a high capacity property. If the property is not designated as a high capacity			
	mber in upper right hand corner of the most recent high capacity well approval, s and pump installers. On the compact disk, see "File location" in red print in			
	nty) - (1 digit for well classification) - (1 to 4 digits for assigned property no.).			
County	High Capacity Well File No.			
WAUSHARA WASIS	70-1-400 (LANDCO			
Submittal Purpose	70-1-49 (OAK GRO			
Check all that apply:				
Install one or more new wells with a capacity greater than 70	gallons per minute. (Z WELLS)			
Install one or more new wells with a capacity less than 70 gal	illons per minute on a high capacity property.			
Replace one or more wells with a capacity greater than 70 ga	allons per minute.			
Replace one or more wells with a capacity less than 70 gallor	ns per minute on a high capacity property.			
Reconstruct one or more wells with a capacity greater than 70 gallons per minute.				
Reconstruct one or more wells with a capacity less than 70 gallons per minute on a high capacity property.				
Increase pumping rate in one or more wells to a rate greater than previously approved.				
Request continued operation of high capacity wells after a change in ownership. (No application fee required.)				
Renew a previous approval that has expired.	- , , , , ,			
Well (or wells) will serve a school or wastewater treatment pla	ant. See definitions on page 5.			
Other explain				

Site Status Information

Determine the site status using the internet or the compact disk of departmental well data that is issued to drillers and pump installers and the information supplied by the property owner. Internet address is dry.wi.gov/org/water/dwg/dws.htm. Enter YES or NO for each of the following questions.

01 111	0 10.11	Swing quosilone.					
YES	NO	Has the property boundary changed since the most recent high capacity well approval was issued? If the property is not yet a high capacity property, check NO.					
\boxtimes		Has there been a change in well ownership since the last approval was written?					
		If YES, name of current owner: Date of purchase:					
X		Has there been a change in well operator since the last approval was written? If YES, name of current operator: Date of change:					
	X	Will a proposed well be connected to a plumbing system that is supplied by other sources (other wells, municipal supply, etc.)? If YES, include a schematic drawing showing backflow protection.					
	×	Is a proposed well within 1,200 feet of a landfill? Determine if there are any landfills nearby, using the well information compact disk FIND feature. Enter the township, range and section of the well location. If the well is near a section line, also check the adjacent section or sections. If YES, list the landfill site ID Number: OR Landfill location: (Township/Range/Section)					
	×	Is a proposed well on a property that has a contaminated site? If YES, list the BRRTS (Bureau for Remediation and Redevelopment Tracking System) Number here and specify if the site is open or closed:					
	×	Is a proposed well on a property that has a groundwater use restriction recorded on the deed? If YES, list the BRRTS number, as assigned to the contaminated site by the DNR remediation and redevelopment program:					
	X	Is a proposed well on a property that is listed on the department's registry of closed remediation sites for a groundwater use restriction? See compact disk or internet at <a 5.<="" definitions="" href="mailto:mai</td></tr><tr><td></td><td>X</td><td>Is a proposed well to be used for a public water supply system that serves 25 or more people? See definition of a " in="" on="" page="" public="" section="" system"="" td="" the="" water="">					
	X	Is a proposed well to be installed within a special casing area? Refer to the list of special casing areas that is published by the department and/or contact the regional DNR office.					
X		Has the number of wells or pumping capacity in an existing well increased since the most recent high capacity well PROPER approval was issued? PROPERTY BOUNDARY EXPANDED IF INCLUDE OAK GROVE					
	X	Has the number of wells decreased since the most recent high capacity well approval? If the property is not yet a high capacity property, check NO. (L. CAP RESIDENTIAL WELL PROPERTY HAS NOT BEEN PURCHASED					
	X	ur cullouille en Con I					
	X	Will the well discharge directly to a storage pond?					
	X	Is a pressurized tank with a capacity greater than 1,000 gallons proposed or in use?					
	X	is a proposed well within 1,200 feet of a quarry?					
	\boxtimes	Is a proposed well located in a floodplain or floodway?					
	X	Are any existing well installations on the high capacity property out of compliance with Chapter NR 812, Wisconsin Administrative Code?					
	X	Will the well be used as a source of bottled water?					
	X	Are you seeking a variance to construct a well that has a capacity of less than 70 gallons per minute to low capacity well construction standards?					
П	X	Is the property served by a community water system?					

Existing Well Information				1				
Wind Number Assigned by World Owner (North Well, etc.):								
Well Number Saggard by Owner (001, 002, etc.): Well Number of NA If no mumber: SA		all existing wells on the p	property, if more than four	wells, submit additional s	heets:			
(001, 002, etc.): Wil Virsigo Will Number or NAI find number: BD 880 BD 881 CD 520 RB 7344 Permanent DRR High Capacity Well Number of NAI find number: Public Water System ID Number, if Public (in not public, NOME) NONE NONE NONE NONE NONE NONE NONE NON	(North Well, etc.):	<u>(1)</u>	<u> </u>	<u> </u>	(4)			
Number N	(001, 002, etc.):							
Number or Nix if none 1		BD 880	BD 881	C0520	RB734			
Public (and public, NONE) Potable or Non-Potable Use: Potable or Non-Potable Use: NoN - Potable or Non-Potable Use: Non-Potable or Non-Potable Non-P		36382	36383	36765	67314			
Potential or Non-Potable Use: Non-Potable Non-Potabl		NONE	NONE	NONE	NONE			
Residential, etc.): RRI GATTON RRI GATTON RRIGATTON RRIGATT		NON-POTABLE		. 1	NON-POTABLE			
Day in Gallons: T20,000 T20,00	Residential, etc.):	IRRIGATION	IRRIGATION	IRRIGATION	IRRIGATION			
Page		720,000	720.000	720,000	720,000			
Approved Pumping Capacity If Previously Approved (gpm): APRIL OCTOBER APR		1,440,000	1,440,000	1,440,000	1,440,000			
Approved Pump Type & Capacity if Previously Approved (gpm): INESHAFT (1000) LINESHAFT		APRIL-OCTOBER	APRIL-OCTOBER	APRIL- OCTOBER	APRIL-OCTOBER			
Proposed Purp Type & Capacity If Change Requested (gpm): Pump Discharge Type (over Top of Casing Seal, Casing Seal, Pittess, etc.): Discharge Location (Building Pressure Tank, Pand, etc.): Height of Well Casing Above Ground in Inches: Tank, Pand, etc.): Height of Well Casing Above Ground in Inches: Well Casing Seal, Pittess, etc.): Well Loc: Quarter Quarter Section NE 1/4 of SW 1/4 SW 1/4 of NW 1/4 SW 1/4 of SW 1/4 of NW 1/4	Approved Pumping Capacity if Previously Approved (gpm):	1000			1000			
Change Requested (gpm): Dump Discharge Type (Over Top of Casing Seal, Pitless, etc.): Discharge Location (Building Pressure To CENTER		LINESHAFT (1000)	LINESHAFT (1000)	LINESHAFT (1000)	LINESHAFT (1000)			
Casing Seal, Piloss, etc.): Discharge Location (Building Pressure Tank, Pond, etc.): Potential Constitution (Building Pressure Tank, Pond, etc.): Potential Contaminant Sources and Distance: NE 1/4 of SW 1/4 SW 1/4 of NW 1/4 SW 1/4 of SW 1/4 of NW 1/4 o	Change Requested (gpm):		V					
Tank, Pond, etc.): Height of Well Casing Above Ground in Inchess and Distances. PIVOT SYSTEM P		CASING SEAL	CASING SEAL	CASING SEAL				
Height of Well Casing Above Ground in Inches: Potential Contaminant Sources and Distance: Well Loc: Quarter Quarter Section OF QUARTER CANAGE OF THE SECTION OF THE SEC								
Distance: Well Loc: Quarter Quarter Section NE 1/4 of SW 1/4 SW 1/4 of NW 1/4 SW 1/4 of SW 1/4 SW		12	13					
Section or French Long Lot No. 3 0 9 15 Township: T 20 N T 20								
Section or French Long Lot No. 3 0 9 15 Township: T 20 N T 20	Well Loc: Quarter Quarter Section	NE 1/4 of SW 1/4	SW 1/4 of NW 1/4	SW 1/4 of SW 1/4	NW 1/4 of NW 1/4			
Township: T ZO N T ZO	or Government Lot Number							
Township: T ZO N T ZO	Section or French Long Lot No.	3	10	9	15			
Range (Select E or W): R 9 DE WR 9 DE	Township:		T 2.0 N	T 20 N	T 20 N			
Latitude (Degrees and Minutes) Longitude (Degrees and Minutes) 89 25232 89 25546 89 26 474 89 75443 GPS Map Datum (WGS84, WTM91, etc.) Include as much of the following information as practical for wells that do not have well construction records attached to the application, however if the well construction record is attached, applicant may leave the following rows blank. Date of Construction: 5	Range (Select E or W):				R 9 XIE∏w			
Longitude (Degrees and Minutes) 89 25232 89 25546 89 26474 89 25443 GPS Map Datum (WGS84, WTM91, etc.) Include as much of the following information as practical for wells that do not have well construction records attached to the application, however if the well construction record is attached, applicant may leave the following rows blank. Date of Construction: Ditled by (Name of Drilling Firm): Wisc., Pump Serv, SYLVESTER HAWT HAUPT WELL DALG ROBERTS TRR. Drilling Method(s) (Rotary, Percussion, Etc.) REVERSE ROTARY REVERSE ROTARY REVERSE ROTARY REVERSE ROTARY REVERSE ROTARY Well Depth in Feet: Upper Enlarged Drillhole Diameter in Inches and Depth in Feet: Lower Drillhole Diameter in Inches and Depth in Feet: Well Casing Diameter in Inches and Depth in Feet: Well Casing Material and Wall Thickness: (10 GA.) Annular Space Material Between Casing and Drillhole Wall: GRAVET PACK GRAVET PACK GRAVET PACK GRAVET PACK Is There a Well Screen (Y or N) If so, (V) JOHNSON (V) JOHNSON To HUSON	Latitude (Degrees and Minutes)							
GPS Map Datum (WGS84, WTM91, etc.) Include as much of the following information as practical for wells that do not have well construction records attached to the application, however if the well construction record is attached, applicant may leave the following rows blank. Date of Construction: 5	Longitude (Degrees and Minutes)							
Include as much of the following information as practical for wells that do not have well construction records attached to the application, however if the well construction record is attached, applicant may leave the following rows blank. Date of Construction: 5	GPS Map Datum (WGS84,							
Date of Construction: Date of Construction: 5	Include as much of the following inform	nation as practical for wells the	nat do not have well construc	tion records attached to the	application, however if the			
Drilled by (Name of Drilling Firm): Wisc., Pump Serv, Sylvester Haupt Haupt Well Dalo Roberts Irr. Drilling Method(s) (Rotary, Percussion, Etc.) Well Depth in Feet: Upper Enlarged Drillhole Diameter in Inches and Depth in Feet: Lower Drillhole Diameter in Inches and Depth in Feet: Uell Casing Diameter in Inches and Depth in Feet: Well Casing Material and Wall Thickness: Well Casing Material Between Casing and Drillhole Wall: Drilled by (Name of Drilling Firm): Wisc., Pump Serv, Sylvester Haupt Haupt Well Dalo Roberts Irr. Sylvester Haupt Haupt Well Dalo Roberts Irr. Reverse Rotary Rotary Reverse Rotary Reverse Rotary Reverse Rotary Rotary Reverse			6 4/1976	10/30/1929	10/14/2003			
Drilling Method(s) (Rotary, Percussion, Etc.) REVERSE ROTARY REVE	Drilled by (Name of Drilling Firm):		SYLVESTER HAUPT					
Well Depth in Feet: Upper Enlarged Drillhole Diameter in Inches and Depth in Feet: Lower Drillhole Diameter in Inches and Depth in Feet: Lower Drillhole Diameter in Inches and Depth in Feet: Well Casing Diameter in Inches and Depth in Feet: Well Casing Material and Wall Thickness: Well Casing Material and Wall Thickness: Annular Space Material Between Casing and Drillhole Wall: SRAVEL PACK GRAVEL PACK G		_			_			
Upper Enlarged Drillhole Diameter in Inches and Depth in Feet: Lower Drillhole Diameter in Inches and Depth in Feet: Lower Drillhole Diameter in Inches and Depth in Feet: Well Casing Diameter in Inches and Depth in Feet: Well Casing Material and Wall Thickness: Annular Space Material Between Casing and Drillhole Wall: Shavel PACK GRAVEL PACK GRAV	Well Depth in Feet:				117			
Lower Drillhole Diameter in Inches and Depth in Feet: Well Casing Diameter in Inches and Depth in Feet: Well Casing Material and Wall Thickness: Annular Space Material Between Casing and Drillhole Wall: Shavel PACK GRAVEL PACK GRA			32inches, 188 feet	32 inches, 110 feet	30inches, 117 feet			
Well Casing Diameter in Inches and Depth in Feet: Well Casing Material and Wall Thickness: Annular Space Material Between Casing and Drillhole Wall: Shavel PACK GROVEL PAC				inches, feet	inches, feet			
Well Casing Material and Wall Thickness: Annular Space Material Between Casing and Drillhole Wall: GRAVEL PACK GRAVEL PACK GRAVEL PACK STHERE a Well Screen (Y or N) If so, Well Casing Material and Wall (250) A 53B (250)		18 inches, 120 feet			16 inches, 87 feet			
Annular Space Material Between Casing and Drillhole Wall:		(10 GA.)		/	1-00			
Is There a Well Screen (Y or N) If so, (U) JOHNSON (V) JOHNSON (Y) TOHNSON			GRAVEL PACK		-			
			MOZUHOT (U)	NOSWHOLD IN	14) JOHNSON			

Proposed Well Information		
Enter the following information on all	proposed wells on the property, if more than two wells	s or alternate construction, submit additional sheets:
Well Name Assigned by Well Owner (North Well, etc.):	A	B
Well Number Assigned by Owner (001, 002, etc.):		
Well Loc: Quarter Quarter Section or French Long Lot Number	NE 1/4 of SW 1/4 of Section 9	NW 1/4 of SW 1/4 of Section /O
or Government Lot Number		
Township & Range (Select E or W)	T ZO NR 9 ME OW	t 20 N,R 9 ⊠E □W
Latitude (Degrees and Minutes)	44 • 13.065	44 • 13.056 •
Longitude (Degrees and Minutes)	<u>89 · 26.183 · </u>	89 · 25.55!
GPS Map Datum (WGS84, WTM91, etc.)		
Type of Well (Irrigation, Industrial, Residential, etc.):	Type: RRIGATION Potable Non-Potable	Type: RRIGATION Potable
Drilling Method(s) (Rotary, Percussion, Etc.):	REVERSE ROTARY	REVERSE ROTARY
	Depths that Are Expected During Drilling:	COLLO GLALL
Material and Depth Interval:	SAND CLAY from 0' to 150.	SAND CLAY from 0' to 150
Material and Depth Interval:	& GRAVEL from to	FGRAVEL from to
Material and Depth Interval;	from ' to '	from ' to '
Material and Depth Interval:	from ' to '	from ' to '
Material and Depth Interval:	from ' to '	from ' to '
Drillhole Diameter and Anticipated Dep		[
Diameter and Depth Interval:	32" from 0' to 150'	32 from 0 to 150
Diameter and Depth Interval:	from ' to '	from ' to '
Diameter and Depth Interval:	from ' to '	from ' to '
	nd Wall Thickness at Anticipated Depth Intervals:	
Diameter and Wall Thickness at Depth Interval:	16 "diam/, 250" thick 0' to 120'	16 "diam/. 250" thick 0' to 120.
Diameter and Wall Thickness		
at Depth Interval: Permanent Casing or Liner Material, II	" diam/ " thick ' to '	" diam/ " thick ' to '
Casing Joints (Welded, T and C,	WELDED	WELDED
etc.) Material and Weight		
at Depth Interval: Material and Weight	A 53B / 42 lbs/foot 0' to 20'	A53B / 42 lbs/foot 0' to /20.
at Depth Interval:	/ lbs/foot 'to '	JOHNSON ' to '
Screen Material, Slot Size in Inches and Depth Interval or N/A if none:	-	GALV. V-WIRE 1. 060 "1 120 to 150.
Casing to Screen Joint (Welded, T and C, K Packer, etc.)	WELDER	METDED
Annular Space Material Including Filter	Pack Material, If Used:	
Material and Depth Interval:	NATINE MATERIAL 0' to 100'	NATIVE MAT'L 1 0. 10 100.
Material and Depth Interval:	GRAVEL PACK / 100 10 150.	GRAVEL PACK / 100 · 10 150 ·
Proposed Average Water Usage Per Day in Gallons:	720,000	720.000
Proposed Maximum Water Usage Per		1.440.000
Day in Gallons: Seasonal? (April to October, Year Around, etc.):	APRIL - OCTOBER	APRIL - OCTOBER
Proposed Pump Type & Capacity (gpm):	LINESHAFT TURBINE (1000)	LINESHAFT TURBINE (1000)
Discharge Type (Over Top of Casing Seal, Pitless Adapter or Unit):	OVER TOP OF CASING SEAL	OVER TOP OF CASING SEAL
Discharge Location (Building Pressure Tank, Pond, etc.):		TO CENTER PINOT SYSTEM
Distance and Direction to Nearest		
Public Utility Well & Well Name: Distance to Other Potential Contaminant Sources:	2.5 MILES WSW TO PLAINFIELD	3+ MILES WSW TO PLAINFIELD
Distance to Other Potential Contaminant Sources:		
Leave Blank, for Department use only		

Required Attachments

- Attach one of the maps described in A. or B., below. Plot the existing and proposed well locations on the map. For wells that have a Wisconsin Unique Well Number or a Permanent High Capacity Well Number, plot the well locations with one of those numbers.
 - A. Copy of a plat map with the property boundary clearly shown. If the property is contiguous with properties owned by the same owner in another township, include a copy of that township map too, showing the property boundaries. If the property owner listed on the plat map is different from the current owner, list the date or dates, that the current property owner purchased the property on the map.
 - B. Map of the property prepared by a licensed land surveyor and the property description as described by the surveyor.
- 2. Sketch map showing all of the following that are planned or exist within 300 feet of each proposed well: proposed well location; other wells; property boundary; wetlands; potential contaminant sources (septic tank and drainfield, petroleum storage tanks, sewer lines, etc.); buildings and north arrow. If no pertinent features to map within 300 feet of the proposed well, for example an irrigation well in the middle of a field, state that on the property map listed above and plot the well locations on that map.
- 3. Any well construction records available for existing wells on the property. Do not attach any well construction records for wells that are not on the property. If a Wisconsin Unique Well Number has not been assigned, write a well name or site well number on the record that correlates to the well name or number plotted on the maps.
- 4. For proposed wells with a capacity greater than 400 gallons per minute, include the performance curve or performance table that is provided by the pump manufacturer. If the pump will be a lineshaft turbine, provide a curve with the same rpm as the motor under full load and list the motor horsepower.
- 5. If more than one well is connected to a common plumbing system, also provide a schematic drawing of the system showing method of preventing backflow. This sketch must include the well discharge (pitless, over top of casing sanitary seal); the water line from the well; pressure tanks; sampling faucets; check valves; backflow preventers; air gaps; manually operated valves; water meters; pressure switches for pumps; and any other pertinent fittings. This schematic drawing must also identify which of these components are buried or above ground. If there is more than one check valve within the well casing, include in-well check valves on the schematic.
- If reconstruction of an existing well is proposed, include a diagram of the current well construction and a diagram of the proposed construction.
- 7. If the application is for a high capacity well or wells, a \$500.00 check payable to the Department of Natural Resources, unless the application is only for continued operation after a change of ownership.

Certification and Applicant Signatures

If the application requests a variance for a well within 1,200 feet of a landfill, a well on a property with a groundwater use restriction, or any other variance to NR 812, Wis. Adm. Code, the property owner must sign the application. If the well operator will install a well on property that he or she does not own, the property owner must also sign the application. Otherwise, an agent of the owner may sign the application.

Unsigned and incomplete applications will not be approved.

By signing this form, the person signing this application certifies that to the best of his or her knowledge, all existing well installations on the property comply with ch. NR 812, Wis. Adm. Code. The person also certifies that to the best of his or her knowledge, all information in the application is accurate and correct.

Name - Print	Check Box						
JEFF HAUPT	Owner	X Ago	ent of the C	wner			
Signature ell Houpt HAUPTW	ELL DRILLING IN	Date しこ /	17	2014			
Application submitted Mail completed application and payment with all required attachments to DNR, Private Water Systems Section 106/2, PO Box 7921, Madison WI 53707-7921.							
Definitions from Wisconsin Administrative Codes							
"High canacity wall" magaz a wall constructed on a high canacity property.	NID 040 07/54\1						

"High capacity property" means one property on which a high capacity well system exists or is to be constructed. [NR 812.07(52)]


"High capacity well system" means one or more wells, drillholes or mine shafts used or to be used to withdraw water for any purpose on one property, if the total pumping or flowing capacity of all wells, drillholes or mine shafts on one property is 70 or more gallons per minute based on the pump curve at the lowest system pressure setting, or based on the flow rate. [NR 812.07(53)]

"Public water system" means a system for the provision to the public of piped water for human consumptions if such system has at least 15 service connections or regularly serves an average of at least 25 individuals daily at least 60 days per year. A public water system is either a community water system or a non-community water system. Such system includes: (a) Any collection, treatment, storage, and distribution facilities under control of the operator of such system and used primarily in connection with such system, and (b) Any collection or pretreatment storage facilities not under such control which are used primarily in connection with such system. [NR 812.07(80)]

"School" means a public or private educational facility in which a program of educational instruction is provided to children in any grade or grades from kindergarten through the 12th grade. Water systems serving athletic fields, school forests, environmental centers, home-based schools, day-care centers and Sunday schools are not school water systems. [NR 812.07(94)]

"Wastewater treatment plant" means any facility provided for the treatment of sanitary or industrial wastewater or both. The following types of facilities are excluded: (a) Facilities defined as private sewage systems in s. 145.01(12), Stats. (b) Pretreatment facilities from which effluent is directed to a public sewer system for treatment. (c) Industrial wastewater treatment facilities which consist solely of a land disposal system. [NR 114.03(14)]

[&]quot;High capacity well" means a well constructed on a high capacity property. [NR 812.07(51)]



IRRIGATION, INC.



authorized dealer for: Valley Center Pivot Systems

PHONE:

(715) 335-6368 or (800) 755-0268

Box 35 • Highway 73 • Plainfield, Wisconsin 54966



Symbol of Dependability and Quality In Plat Books Since 1944

ROCKFORD MAP PUBLISHERS, Inc.

4525 Forest View Avenue - P.O. Box 6126 Rockford, Illinois 61125